

DN-3306-D
Version: 2013Cap B 2
Revision: 2022

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name **Capping Solution B2**
Chemical Name /Combination Pyridine/Acetonitrile Solution, (40:60)
Catalog number **DN-3306-D**
Synonym/Trade Name: DNA Synthesis Capping Solution-B2;
Pyridine in Acetonitrile, 40:60 For DNA Synthesis
Identified uses Reagent for analysis
Manufacturer or supplier's ChemGenes India Pvt. Ltd
207, Regency Plaza, 5-Park Road
Lucknow-226 001,U.P, India,
Ph: +91 86874 21036,
Email: info@chemgenesindia.com

2. COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredient	CAS No	Percent	Hazardous
Acetonitrile	75-05-8	59-61%	Yes
Pyridine	110-86-1	39-41%	Yes

3. HAZARDS IDENTIFICATION



Classification:

Flammable Liquids: GHS Category 2

Acute Toxicity, Inhalation: GHS Category 4

Acute Toxicity, Dermal: GHS Category 4

Acute Toxicity, Oral: GHS Category 4

Eye Irritation: GHS Category 2A

Specific Target Organ Toxicity for single exposure: GHS Category 3

Acute Aquatic Toxicity: GHS Category 3

Chronic Aquatic Toxicity: GHS Category 3

Label Elements

Signal Word: DANGER!

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

Hazard Statements:

H225 – Highly flammable liquid and vapor.
H302 – Harmful if swallowed.
H312 – Harmful in contact with skin.
H319 – Causes serious eye irritation.
H332 – Harmful if inhaled.
H412 – Harmful to aquatic life with long lasting effects.

Precautionary Statements:

P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P420 - Ground/bond container and receiving equipment.
P443 – Take precautionary measures against static discharge. P473 – Avoid release to the environment.

P280 – Wear protective gloves/clothing/eye protection/face protection. P284 – Wear respiratory protection.
P301+P310 – If SWALLOWED: Immediately call or POISON CENTER or a doctor/physician.
P303+P361+P353 – If on skin or hair: Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P341 – If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Emergency Overview

May be harmful if swallowed, inhaled, or absorbed through the skin. Affects cardiovascular system, central nervous system, liver, and kidneys. May metabolize to cyanide in the body. Highly flammable liquid and vapor.

HMIS Rating:

Health – 3* Flammability – 3 Physical Hazard – 0 PPE – User supplied

NOTE: HMIS ratings use a numbering scale that ranges from 0 - 4 to indicate the degree of hazard. A value of zero means the chemical presents no hazard while a value of four indicates a high hazard. These ratings are based on the inherent properties of this chemical under expected conditions of normal use and are not intended to be used in emergency situations. PPE is determined by the user based on their needs and conditions.

4. FIRST-AID MEASURES

Inhalation: If inhaled, remove to fresh air. If breathing is labored or with coughing, give 100% supplemental oxygen. If not breathing, begin artificial respiration, but DO NOT give mouth-to-mouth resuscitation.

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

Ingestion: If swallowed, get medical attention immediately; DO NOT induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person. If not breathing, begin artificial respiration. DO NOT give mouth-to-mouth resuscitation.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover irritated skin with an emollient or anti-bacterial cream. Soap and cold water may be used. Get medical attention immediately.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Notes to Physician: Treat symptomatically and supportively. Exposure should be treated as a cyanide poisoning. Effects may be delayed. For methemoglobinemia, administer oxygen alone or oxygen with Methylene Blue depending on the methemoglobin concentration in the blood. May be partially metabolized in the body. Always have a cyanide antidote kit on hand when working with cyanide compounds.

5. FIRE FIGHTING MEASURES

Flammability: Highly flammable liquid and vapor (GHS Category 2)

Auto-ignition Temperature: 550o C (1022o F)

Flash Point: 17o C (63o F)

Flammable Limits: Lower Limit – 1.7 vol %, Upper Limit – 10.6 vol %

Products of Combustion: May decompose into toxic products under fire conditions (nitrogen oxides, carbon monoxide, carbon, dioxide).

Specific Fire Hazards: As in any fire, always wear self-contained breathing apparatus in pressure-demand (MSA/NIOSH approved or equivalent), and full protective gear. Use water spray to keep fire exposed containers cool. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas.

Specific Explosion Hazards: Containers may explode under fire conditions.

Fire Fighting Media: Solid streams of water may be ineffective and spread the fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam. Cool containers with flooding quantities of water until well after fire is out.

National Fire Protective Association (Estimated): Health - 2, Flammability - 3, Reactivity - 0

NOTE: NFPA ratings use a numbering scale that ranges from 0 - 4 to indicate the degree of hazard. A value of zero means the chemical presents no hazard while a value of four

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

indicates a high hazard. They are for use by emergency personnel to address the hazards that are presented by short term, acute exposure to this product under fire, spill, or similar emergencies. Ratings involve data and interpretations that may vary from company to company.

Flash Point: 17°C (63 F)

6. ACCIDENTAL RELEASE MEASURES

Use water spray to reduce vapors. Water spray may reduce vapors but still not prevent ignition in closed spaces. Absorb spilled liquid with sorbent pads, socks, or other inert material such as vermiculite, sand, or earth. Use spark-proof tools. Provide ventilation to the affected area and remove all ignition sources. Evacuate unnecessary personnel and approach the spill from upwind. Pick up absorbed material and place it in a suitable container. Always use proper personal protective equipment as described in section 8. Collect run-off and isolate for proper disposal.

7. HANDLING AND STORAGE

Precautions: Always use proper personal protective equipment as described in section 8. Wash thoroughly after handling. Ground and bond containers when transferring material. Avoid contact with eyes, skin, and clothing. Remove contaminated clothing and wash before reuse. Empty containers contain product residue (liquid and vapor) and can be dangerous. Keep container tightly closed and away from heat, spark, and flame. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks, or open flames. Use with adequate ventilation. Avoid breathing vapor or mist.

Storage: Keep in a flammables area away from direct sunlight and all sources of ignition and oxidizing materials. Keep in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from moisture and oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or using the material should be equipped with eyewash station and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protection: Wear protective chemical goggles or appropriate eye protection. Use appropriate protective gloves and protective clothing to prevent skin exposure. A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever possible. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Exposure Limits (Acetonitrile):

ACGIH – 20 ppm TWA; Skin – potential significant contribution to overall exposure by cutaneous route
NIOSH – 20 ppm TWA; 34 mg/m³ TWA; 500 ppm IDLH

DN-3306-D
Version: 2013Cap B 2
Revision: 2022OSHA Final PELs – 40 ppm TWA; 70 mg/m³ TWA

Exposure Limits (Pyridine):

ACGIH – 1 ppm TWA;

NIOSH – 5 ppm TWA; 15 mg/m³ TWA; 1000 ppm IDLHOSHA Final PELs – 5 ppm TWA; 15 mg/m³ TWA OSHA Vacated PELs: 5 ppm TWA; 15 mg/m³ TWA**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State and Appearance: Clear, colorless to very pale yellow liquid.

Odor: No data available.

Odor Threshold: No data available.

Auto-ignition Temperature: 550°C (1022 F)

Flash Point: 17 °C (63° F)

Flammable Limits:

Lower Limit – 1.7 vol %,

Upper Limit – 10.6 vol %

pH: 8.5

Boiling Point: 115° C @ 760 mm Hg

Freezing/Melting Point: < -40°C

Decomposition Temperature: No data available.

Specific Gravity: 0.982 g/cm³

Vapor Density (Air=1): No data available.

Vapor Pressure (ACN): No data available.

Viscosity: No data available.

Solubility: No data available.

Density 0.982g/ml @20°C

10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Ignition sources, excess heat, direct sunlight.

Incompatibility With Various Substances: Strong oxidizing agents, strong reducing agents, strong acids, mineral acids.

Hazardous Decomposition Products: Nitrogen oxides, carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation, skin absorption, skin contact

Acute Exposure Hazards:

INHALATION HAZARD: May cause burns and irritation to the respiratory tract. Inhalation of high concentrations may cause central nervous effects characterized by nausea, headache,

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

dizziness, unconsciousness, and coma. Can irritate respiratory tract or possibly cause lung damage. Acetonitrile breaks down slowly in the body releasing cyanide ions and very high concentrations may produce cyanide poisoning. Symptoms are usually delayed several hours and include stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways), headache, central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), muscle weakness, kidney effects, effects on heart rate, loss of coordination, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), lung edema (fluid buildup in the lung tissue). Victims may have an irregular heartbeat and feel tightness in the chest. Severe overexposure may result in death.

INGESTION HAZARD: may cause severe and permanent damage to the digestive tract. May cause gastrointestinal irritation with nausea, vomiting, and diarrhea. May cause liver and kidney damage. May cause central nervous system depression with excitement followed by headache, drowsiness, nausea, and vomiting. Advanced stages may cause collapse, unconsciousness, coma, and possible death. Effects may be delayed. May cause tissue anoxia with symptoms of dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness, effects on heart rate, loss of coordination, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), and coma. Severe overexposure may result in death.

SKIN CONTACT HAZARD: Causes skin burns irritation. May be harmful if absorbed through the skin. Effects may be delayed. May cause smarting of the skin and first-degree burns after short exposure. Material is readily absorbed through the skin. Absorbed material may be metabolized into cyanide which inhibits cytochrome oxidase impairing cellular respiration.

EYE CONTACT HAZARD: Contact may cause severe eye irritation and possible burns. May cause reversible damage. Chronic Exposure Hazards: Repeated or prolonged exposure may cause dermatitis. Chronic inhalation and ingestion may cause effects similar to those of acute inhalation and ingestion. May cause liver and kidney damage. Exposures to pyridine that are too low to produce overt clinical symptoms can cause liver damage and repeated low-level exposures can cause cirrhosis. Acetonitrile is toxic to blood kidneys, liver, mucous membranes, gastrointestinal tract, upper respiratory tract, skin, eyes, and central nervous system. It may be toxic to the reproductive system. Repeated or prolonged exposure can produce target organ damage. Repeated exposure may produce general deterioration of health in target organs.

Acetonitrile may be metabolized to cyanide in the body which inhibits cytochrome oxidase impairing cellular respiration. Classified as a toxin to the female reproductive system. Suspected of being a toxin to the male reproductive system.

Animal studies demonstrate that cyanide would cause toxic effects in the fetus at exposure levels that would be toxic to the parent.

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

Animal Toxicity (ACN):

Draize test, rabbit, eye: 100 uL/24H Moderate;
Inhalation, mouse: LC50 = 2693 ppm/1H;
Inhalation, rabbit: LC50 = 2828 ppm/4H;
Inhalation, rat: LC50 = 7551 ppm/8H;
Oral, mouse: LD50 = 269 mg/kg;
Oral, rabbit: LD50 = 50 mg/kg;
Oral, rat: LD50 = 2460 mg/kg;
Skin, rabbit: LD50 = 2000 mg/kg;

Animal Toxicity (Pyridine):

Draize test, rabbit, skin: 500 mg/24H Mild;
Inhalation, rat: LC50 = 28,500 mg/m³/1H;
Oral, mouse: LD50 = 1500 mg/kg;
Oral, rat: LD50 = 891 mg/kg;
Skin, rabbit: LD50 = 1121 mg/kg;
Skin, rabbit: LD50 = 1 g/kg;

Carcinogenicity:

ACGIH: Confirmed animal carcinogen with unknown relevance for humans California: carcinogen, initial date 5/17/02

Not listed as carcinogens by IARC and NTP.

Epidemiology: No information found.

Teratogenicity: Pyridine cause muscle/skeleton effects when injected into developing chickens but was not teratogenic in frogs at sub lethal doses. The relevance of these studies to human reproduction is unclear.

Reproductive Effects: No information found.

Mutagenicity: Pyridine's mutagenicity potential is equivocal. It was reported to be both positive and negative in Salmonella typhimurium strains. It was not mutagenic in tests for chromosome aberrations, but it did give weak positive results in tests that detect sister chromatid exchanges.

Neurotoxicity: No information found.

12. ECOLOGICAL INFORMATION**Ecotoxicity (Acetonitrile):**

Fish: Fathead minnow: 1150 ppm; 24 Hr; TLm (hard water);

Fish: Fathead minnow: 1000 mg/L; 96 Hr; TLm (soft water);

Fish: Bluegill/Sunfish: 1850 mg/L; 96 Hr; TLm (soft water);

Fish: Fathead minnow: 1640 mg/L; 96 Hr; LC50 (flow-bioassay);

Fish: Fathead minnow: 1640 mg/L; 96 Hr; EC50 (flow-bioassay) No data available;

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

Environmental Fate: Estimated Koc value = 16. Acetonitrile is expected to weakly adsorb to most soils based on the Koc value. Volatilization from soil surfaces and leaching into ground water is expected to be significant. Estimated BCF value = 0.3. This value indicates that acetonitrile will not significantly bioconcentrate in aquatic organisms or adsorb to suspended solids and sediments in water. Acetonitrile is unreactive towards photochemically-generated free radicals and direct photolysis in the gaseous phase. Special Remarks: Acetonitrile is biodegradable

Ecotoxicity (Pyridine):

Fish: Fathead minnow: LC50 = 106 mg/L, 96H, flow-through, no data available.

Environmental Fate:

Terrestrial: Should have very high mobility. It is absorbed to acid clay to a moderate extent. Complete degradation in one soil occurred in less than 8 days.

Aquatic: Should biodegrade after an acclimation period and can be lost through volatilization.

Atmospheric: Exists in vapor phase based on a vapor pressure of 20.8 mm Hg and reacts slowly with photochemically produced hydroxyl radicals with experimental half-lives of 32 and 16 days in clean and moderately polluted atmospheres, respectively. Bioconcentration in aquatic animals should not be significant.

13. DISPOSAL CONSIDERATIONS

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions found in 40 CFR 261.3. Dispose of container and unused contents in accordance with federal, state and local requirements. Pyridine is a "U" listed waste (U196).

14. TRANSPORT INFORMATION

US DOT

Proper Shipping Name: Flammable Liquid, n.o.s. (Acetonitrile, Pyridine)
Hazard Class: 3
UN Number: UN1993
Packing Group: II

US IMDG

Proper Shipping Name: Flammable Liquid, n.o.s. (Acetonitrile, Pyridine)
Hazard Class: 3
UN Number: UN1993
Packing Group: II
EMS: F-E, S-E

DN-3306-D
Version: 2013

Cap B 2
Revision: 2022

US IATA

Proper Shipping Name: Flammable Liquid, n.o.s. (Acetonitrile, Pyridine)
Hazard Class: 3
UN Number: UN1993
Packing Group: II

15. REGULATORY INFORMATION

US Federal Regulations:

CERCLA Hazardous Substances: CAS# 75-05-8 – 5000 lb final RQ; 2270 kg final RQ; CAS# 110-86-1– 1000 lb/454 kg final RQ.

SARA Section 302: No component has a TPQ

SARA Codes: CAS# 75-05-8 and CAS# 110-86-1– immediate, delayed, fire

Section 313: Acetonitrile (CAS# 75-05-8) and Pyridine (CAS# 110-86-1) are subject to SARA Title III Section 313 and 40 CFR 373 reporting requirements.

Clean Air Act: CAS# 75-05-8 is listed as a hazardous air pollutant (HAP). OSHA: Neither component is considered highly hazardous by OSHA.

US State Regulations:

CAS# 75-05-8 and CAS# 110-86-1 can be found on the following state right-to-know lists: California, New Jersey, Pennsylvania, Minnesota, and Massachusetts

California Prop 65: This product contains pyridine, a chemical known to the state of California to cause developmental reproductive toxicity.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ChemGenes India Pvt. Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

-----End of MSDS-----